			V
·	Application No.	Applicant(s)	-
	09/890,148	ZOBEL ET AL.	
Notice of Allowability	Examiner	Art Unit	
	David Buttner	1712	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	oplication. If not included n will be mailed in due co	urse. THIS
1. This communication is responsive to <u>amdt 12/21/06</u> .		,	
2.  The allowed claim(s) is/are <u>2,3,5,12,13</u> .			
3. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the:			
Certified copies of the priority documents have			
Certified copies of the priority documents have	· ·	•	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			ΓΙCE OF
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the			ick) of
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
			•
		·	
Attachment(s)			·
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Da</li> </ol>	/ (PTO-413),	
3. Information Disclosure Statements (PTO/SB/08),	7. 🛛 Examiner's Amend	ment/Comment	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Statement	ent of Reasons for Allowa	ance
of Biological Material	9.		

Application/Control Number: 09/890,148

Art Unit: 1712

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Mrozinski on 1/18/07.

Cancel claim 7.

The following is an examiner's statement of reasons for allowance: Bodiger '827 and DE19530200 require the presence of a flame retardant which is now excluded from all applicant's remaining claims by "consisting of". The references' flame retardants do not qualify as applicant's listed "additives" either. It would not have been obvious to remove the references' flame retardant and leave the boehmite present, because it appears the boehmite is present to improve the performance of the flame retardant.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Buttner whose telephone number is 571-272-1084. The examiner can normally be reached on weekdays from 10 to 5pm.

Application/Control Number: 09/890,148 Page 3

Art Unit: 1712

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski, can be reached on 571-272-1302. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

**David Buttner** 

DAVID J. BUTTNER PRIMARY EXAMINER

1/18/07

Doulsette